

TREEN, A. et al.
Serial No. unknown


REMARKS

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached page(s) is captioned "**Version With Markings To Show Changes Made.**"

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: _____


Stanley C. Spooner
Reg. No. 27,393

SCS:ecb
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

20250119105001

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE SPECIFICATION

Page 1, before the first line, insert as a separate paragraph:

This application is the US national phase of international application
PCT/GB03072 filed 9 August 2000, which designated the US.

IN THE CLAIMS

5. A pressure indicator as claimed in any of claims 2 to 4 wherein the second surface is biased against the rigid structure.

7. A pressure indicator as claimed in any preceding claim 1 wherein the display diaphragm is transparent.

10. A pressure indicator as claimed in any preceding claim 1 wherein the recognisable configuration or pattern comprises a symbol or graphic projecting from the surface of the indicator diaphragm towards the display diaphragm.

13. A pressure indicator as claimed in claim 11 or claim 12 wherein the at least two components have different visibility.

14. A pressure indicator as claimed in any preceding claim 1 wherein either the display diaphragm or the indicator diaphragm comprises a flexible polymer.

15. An apparatus comprising a fluid reservoir and a pressure indicator according to ~~any preceding claim~~ 1 wherein one of the diaphragms is in fluid communication with the fluid reservoir.

17. A method of indicating fluidic or mechanical pressure using a pressure indicator according to ~~any of the preceding claims~~ 1.

18. A ball comprising a pressure indicator as claimed in ~~any preceding claim~~ 1.